

YOUR WINES FEEL GOOD AT HOME



2019 - 2020 COLLECTION

la Sommelière

Thanks to experiences, high standard and knowledges acquired from its 5,000 distributors in France and abroad for more than 20 years, La Sommelière is one of the leading wine cellar manufacturers on the market.



DEVELOPMENT

With widely recognised know-how and expertise, La Sommelière offers exceptional quality and attention to detail to professionnals and consumers alike. Our ranges are constantly improving: better energy performance, a wide choice of capacities and functionalities to meet any type of need, to store different formats of bottles and also to present the bottles in vertical position, a temperature regulation adapted to the ageing and to the service temperature wine ... Our products meet all needs.



INNOVATION

Technical innovations such as buit-in air vacuum, cellars with up to six temperature zones, design features tailored to every style, excellent energy efficiency, and more. Our innovations are becoming industry standards!



SERVICE

Leading products with leading services! Our After Sales and Customer Service departments are based in France. Our website, en.lasommeliere .com, offers everyone the help and advice to live and share their passion.

La Sommelière...

is a French company that has continued to grow for over 20 years. A major name on the international market, La Sommelière is present in over 60 countries.

It offers industry professionals and consumers a range of wine cellars born from the company's technological innovation and expertise in the field of wine conservation.

... industry-level expertise...

La Sommelière has become one of the French leaders for professional users (wine merchants, restaurants, hotels, etc.) thanks to its product quality, capacity for improvement and the personal care and attention shown to its customers.

... at the service of customers who expect the best.

La Sommelière also supplies products to a growing number of consumers who want to take advantage of the same services offered to professionals. The quality of its after-sales service means that each and every customer can enjoy using their wine cellar with complete peace of mind.

La Sommelière offers essential services for its products offered via a network of specialist distributors in Europe: excellent availability of products and parts, storage, sales, logistics and administration teams.

LA SOMMELIÈRE, A FRENCH COMPANY IN CONSTANT GROWTH, IS PRESENT IN OVER 60 COUNTRIES IN EUROPE AND WORLDWIDE.



A wine cellar offers the satisfaction of owning an object that is perfectly adapted to its function, but also the promise of precious moments brought to you by the fine bottles contained inside. To meet every type of space and every need, La Sommelière has several ranges of wine cellars and wine accessories, plus cellars designed to keep cheese, cigars and chocolate.

With La Sommelière, experience unforgettable moments of tasting pleasure!

INTRODUCTION Your wines feel good at home Choosing your wine cellar	P.3 P.6 P.8
Prestige WINE CELLARS Ageing and multi-temperature cellars. High-tech solutions to age your wines or make sure they are always ready to serve.	P.10
Tradition WINE CELLARS Ageing cellars. To age your wines in optimum conditions, as you'd expect from a traditional cellar.	P.24
Service WINE CELLARS These cellars adjust the temperature so you can serve and enjoy your wines at the ideal temperature.	P.32
Other cellars Cigars, cheese or chocolate: a cellar for everything!	P.44
Wine service products A range of innovative products to serve wine in the best conditions.	P.46
Accessories Make the very most of your cellar by adding various accessories developed by La Sommelière.	P.48
Wine ageing and service Compare cellars	P.52 P.54

YOUR WINES FEEL GOOD **AT HOME**

After being bottled, a wine will continue to evolve. How it changes will depend on a number of factors including the grape varieties used, the method of production and the vintage. It makes sense to protect it, just as natural cellars dug out beneath houses in wine-growing country, have done for centuries.

The product of cutting-edge technology, La Sommelière's wine cellars recreate the ideal storage conditions of a natural cellar to protect your wines but also bring them to the ideal service temperature.

1/ Precise temperatures

The most favourable temperature for ageing wine is between 10 and 16°C. Any temperature lower than 10°C will slow the maturing process and prevent wine from reaching its full potential. However, a temperature greater than 16°C will accelerate the process and can damage a wine. Furthermore, sudden fluctuations in temperature are a serious hazard and can destroy a wine beyond repair.

The wine cellars from La Sommelière offer optimum temperature control, to the nearest degree, to create an environment in which your fine wines can mature to their full potential.

2/ Controlled humidity

The ideal humidity level for a wine cellar is between 50 and 80%. If the atmosphere is too dry (i.e. humidity is below 50%) corks can dry out, letting in air and accelerating oxidation. Conversely, high humidity can cause harmful odours to develop and damage labels.

La Sommelière's wine cellars ensure the perfect level of humidity required. Once moistened, lava stones are used to regularly release just the right amount of humidity in your wine cellar. Also, built-in humidity sensors allow you to easily monitor and control humidity levels. Digital thermometers/ hygrometers are also available as accessories

3/ No vibration

Repeated vibrations, even on a small scale, can disturb a wine as it matures, accelerating the ageing of young wines and loosening the sediment in old wines, causing irreversible damage.

It is important to take any potential sources of vibrations—household appliances, underground trains, etc.—into account in order to neutralise any effects as much as possible.

This is why the wine cellars from La Sommelière are fitted with shock absorbers to mitigate any external and internal vibrations while running silently.

4/ Sheltered from light

Over time, ultraviolet rays can produce an extremely unpleasant rancid taste in wines know as "light-strike".

La Sommelière wine cellars provide effective protection against UV light by way of solid double doors or anti-UV treated glazed doors. The interior light switches off automatically when the door is closed and low-energy LEDs shine a gentle and harmless light on your bottles.

5/ A filtration and aeration system to purify the air inside your wine cellar

When wine is stored in a confined space, it can develop unwanted flavours. Hence the importance of eliminating any harmful odours in its immediate atmosphere.

Using an efficient filtration and aeration system, La Sommelière ensures air inside the cellar is continually refreshed. All of our ageing cellars are fitted with air inlets containing active charcoal filters that neutralise bad odours and prevent mould by refreshing the supply of air via a breather effect.

HEIGHTENED SECURITY!

Because your wines are precious, in many of its models, La Sommelière has developed cutting-edge features to maximise the security of your bottles.



The **Winter Function** allows you to install your cellar in an unheated room—such as a garage or basement—and maintain it at a controlled temperature, provided the room is between 5 and 38°C.



The **Visual and/or Audible Alarm** is triggered if it detects an abnormal level of humidity or if the temperature of the cellar changes from the programmed temperature, which can happen if the door is not shut properly.



Safety compressor: in the event of malfunction, the thermostat automatically cuts off the compressor. The temperature cannot drop below room temperature, protecting your wine from extreme cold.



The Child Lock allows you to lock the control panel, so the settings cannot be accidentally altered, helpful if there are children around!



The "Big Chill" security option ensures normal operation of the cellar if the outside temperature falls between 5° and 0°C



Active Charcoal Filter Alarm: a counter indicates the number of days remaining before you need to change the filter.

CHOOSING YOUR WINE CELLAR

Each La Sommelière wine cellar has features and properties tailoring it to specific uses. To find the cellar best suited to your needs, answer three simple questions:

O What do you want to use it for?

Do you want to age your wines, keep wines for serving or both? La Sommelière's ranges includes wine cellars for keeping longageing wines and wines for everyday consumption together (Prestige range) or separately (Tradition and Service range).



Where do you want to install it?

If you plan to install your wine cellar in a room in your home, you will have to factor in a number of criteria, especially in terms of design. Opt for a glass door and LED lighting to beautifully showcase your bottles, for example. In smaller spaces, like a studio, you will appreciate one of our more silent models. If you install the cellar in an unheated room, choose a model with the "Winter Function".



It is important to have as precise an estimation as possible when choosing your wine cellar.

If you wish to age your wines, we recommend opting for one of our larger models given that a portion of your bottles will take up space for several years.

To help you make your choice: https://www.lasommeliere.com/gb/choosing-right-wine-cellar

PRESTIGE

AGEING AND MULTI-TEMPERATURE WINE CELLARS

Designed for the most demanding wine enthusiasts, the Prestige range offers high-tech features for ageing, "chambreing" (around 16°C) and chilling your wines, either separately or in the same cellar. Our high-capacity models can store up to 325 bottles! The wine cellars of the Prestige range are fully modular and ergonomically designed: the numerous accessories conceived especially for them—shelves, racks, drawers, etc.—will allow you to tailor your cellar to your precise needs.

FEATURES OF THE PRESTIGE RANGE

Contemporary and high-end design

With their clean lines and carefully designed features, wine cellars in the Prestige range have an eye for style! An immaculate finish and solid beech accessories will ensure your bottles are showcased beautifully.

More features

An extended range of accessories, a visual and audible alarm, active charcoal filters, a lock, etc., no end of features make our cellars some of the best on the market!

Precision

The electronic thermometers/hygrometers offer a digital display so you can control humidity and temperature levels to the nearest degree. Crucial precision so your wines age in optimum conditions!

Energy efficient

La Sommelière always endeavours to bring you efficient products, both in terms of performance and energy consumption. In energy classes A and A+, the wine cellars in the Prestige range meet all of the latest environmental standards. LED lighting also ensures low energy consumption.

Made in Europe

Most wine cellars in the Prestige range are made within the European Union and comply with the highest quality standards.



2

3

5

One of the biggest capacities on the market with low energy consumption







Contemporary style

The VIP 330V and 280V models feature fully-glazed doors and LED lighting to take care of your wines... as well as show them off!


VIP 330V	Ageing and service
NEW	 Max. capacity*: 329 bottles Temperature range from 7° to 19° ** (3 zones) 5 beech shelves Colour: dark grey H. 193 x W. 70 x D. 71cm.
VIP 280V	Ageing and service
	. Marca and a thuết 077 la athla a
NEW	 Max. capacity*: 273 bottles Temperature range from 7° to 19° ** (3 zones) 4 beech shelves Colour: dark grey H. 165 x W. 70 x D. 71 cm.



** Three different temperature zones possible: The temperature can be set between 17 and 19°C in the top section of the wine cellar. The temperature then drops naturally further down inside the wine cellar, providing two additional temperature zones, ranging from 13 to 15°C in the middle section and 7 to 9°C in the bottom section. 14

20 years of know-how bringing the best technology on the market and optimal ergonomic design for the storage of your bottles.





Wine cellars supplied with shelves made from solid beech. Our shelving's ergonomics have been improved to optimise the way you arrange your wines, whatever type of bottle. Optional display shelves and sliding shelves may be added (see p. 16-17).

The key features of the VIP280 and VIP330 cellars:

- Extremely large capacity (273 or 329 bottles)
- Very low energy consumption (A+)
- Electronic thermostat and digital temperature display (LED screen)
- Humidity between 50 and 80%
- Anti vibration system
- Active charcoal filters
- Solid door or glazed anti-UV door
- One or more temperature zones
- LED lighting
- Visual and audible alarm signalling a rise in temperature
- Multi-format beech shelves
- Wide selection of optionnal accessories (see p. 16-17)

NEW

VIP 330P

- Max. capacity*: 329 bottles
 Temperature range from 5 to 20°C
- 5 beech shelves
- Colour: burgundy door and black body
- H. 196 x W. 70 x D. 71 cm.



LA SOMMELIÈRE YOUR WINES FEEL GOOD AT HOME

16



VIP WINE CELLARS: MODULAR AND HIGH CAPACITY

Custom layout for added comfort!

Arrange the content of your wine cellar exactly how you want! The solid beech accessories-drawers, display shelves, bottle racks, etc.- have been designed to make it easier to arrange and access your bottles. The wine cellar for the true aficionado!

DISPLAY SHELVES

..... Elegantly display your finest wines on this multi-format shelf and keep storage space at the back, above and below the shelf holding your bottles. Dim: W. 590 x D. 400 x H. 180 mm. - Ref: CLAVIP08

SLIDING RAILS

Make your shelves slide in and out with these rails that make it easier to aet to vour bottles. Ref: RAILV3

MAGNUM BOTTLE DRAWER

This attractive drawer with label holders has been specially designed to store your fine wines in magnum size bottles away from light. Dim: W. 590 x D. 540 x H. 190 mm - Ref: MODUL20

LABELS ____

Keep note of important information about your wines on these labels designed to fit in the label holders attached to the drawers. Ref: RET3

FINE WINE DRAWER

This drawer fitted with label holders protects your wines from light and brings a touch of luxury to your cellar. Dim: W. 590 x D. 540 x H. 150 mm - Ref: MODUL16

SIX-BOTTLE RACK

This rack with individual compartments is the safest way to store open bottles. Preferably installed on a sliding shelf. Dim: W. 375 x D. 255 x H. 177 mm - Ref: CASIER6

PERFORATED METAL TRAY

Ideal for multi-temperature cellars, this tray holds standing bottles and ensures air circulates properly. Place on a sliding tray for easier access. Dim: W. 420 x D. 390 mm - Ref: SBV52

CHAMPAGNE AND FINE WINE BOX

This box is designed for the bottom of your cellar, in the coolest zone. It is the perfect accessory for storing bottles of champagne. Dim: W. 590 x D. 282 x H. 250 mm - Ref: MODUL27





18

18°C

15°C

12°C

10°C

8°C

5°C

MULTI-TEMPERATURE wine cellars - In these mixed-use cellars, you can age and keep your wines at service temperature at the same time. Set the minimum temperature at the bottom of the cellar and the maximum temperature at the top. The gap between these two temperatures is automatically divided to create up to six different temperature zones. If you want to set your cellar to just one temperature, select the same minimum and maximum temperatures.



VIP 180

Ageing and service

- Max. capacity*: 195 bottles
- Up to six temperature zones
- Temperature range from 5 to 22°
- 6 oak shelves
- 1 active charcoal filter • 4 digital thermometers
- Colour: grey H. 185 x W. 59,5 x D. 59,5 cm.

[-``@``



VIP 195 G

Ageing and service

- Max. capacity*: 195 bottles
- Up to six temperature zones
- Temperature range from 5 to 22°
- 4 oak shelves +1 sliding shelf +1 display shelf
- 1 active charcoal filter • 1 thermometer/hygrometer
- + 3 digital thermometers
- Colour: grey
- H. 185 x W. 59,5 x D. 59,5 cm.



160 bottles model also available: ref VIP 150





Key features of the VIP 195:

- A clean and elegant fully glazed door lends an eye-catching aspect to your wine cellar.
- Two rows of LEDs, built in to the top of the door, shine a soft light to showcase your bottles.
- Fully equipped with one display and one sliding shelf included.
- 1 thermometer/hygrometer
 + 3 thermometers
 for optimal precision.
- Active charcoal filters neutralise odours and purify the air**
- Mixed cold distributes the cold air evenly**
- 2 sensors connected to the electronically regulated safety thermostat**
- Visual and audible alarm signalling a rise in temperature**
- Glazed reversible door with anti-UV treatment**
- "Big Chill" security: ensures normal operation of the cellar if the outside temperature falls between 5° and 0°C**

** Features shared with the VIP 180 model.

VIP 195 N

Ageing and service

- Max. capacity*: 195 bottles
- Up to six temperature zones
- Temperature range from 5 to 22°
- 4 oak shelves + 1 sliding shelf + 1 display shelf
 1 active charcoal filter
- 1 thermometer/hygrometer + 3 digital thermometers
- Colour: black
- H. 185 x W. 59,5 x D. 59,5 cm.



The 3 PF models give you an elegant presentation of your bottles thanks to their horizontal position with visibility on your labels.

They are available in mono or double temperature zone.





The key features of the PF cellars:

- Careful presentation of your bottles thanks to LED lighting on each side of the glass door.
- A metal protection plate at the bottom of your cellar.
- Sliding shelves to facilitate access to your bottles.



one	1
ti-zo	2
n n	3

MULTI-ZONE wine cellars — These wine cellars contain two or three independent compartments, each with its own temperature settings. Whatever wines you want to serve, your wine cellar is designed to bring any of your bottles to the ideal temperature. All come with sliding or semi-sliding shelves.





MZ3V180

NEW

Ageing (in the top compartment) and service - integrated

- Max. capacity*: 166 bottles
- Zone 1: 64 bottles / zone 2: 51 bottles /
- zone 3: 51 bottles
- Three temperature zones
- Temperature ranges: zone 1: 5 to 20°/ zone 2: 5 to 12° / zone 3: 12 to 20°
 8 sliding beech shelves with stainless steel fronts
- + 1 half shelf
- 1 active charcoal filter
- H. 179,5 x W. 59,5 x D. 68 cm.



MZ2V165

NEW


Ageing (in the top compartment) and service - integrated

- Max. capacity*: 165 bottles
- Zone 1 : 67 bottles / zone 2 : 98 bottles
- Two temperature zones
- Temperature range from 5 to 20°C in each zone
- 7 beech shelves with stainless steel fronts
- + 1 half beech shelf with stainless steel front • 1 active charcoal filter
- H. 179,5 x W. 59,5 x D. 68 cm.

22

Built-in or built-under wine cellars

A fully-functional wine cellar that fits in perfectly, all possible with these high-end models. All multizone models fit exactly with the specific constraints of your kitchen thanks to their adjustable feet and front aeration system.









MZ2V135

NEW

Ageing (in the top compartment) and service - integrated

- Max. capacity*: 135 bottles
- Zone 1: 60 bottles / zone 2: 75 bottles
- Two temperature zones • Temperature ranges:
- zone 1: 5 to 12° / zone 2: 12 to 20° • 9 sliding beech shelves with stainless
- steel fronts + 1 half shelf
- 1 active charcoal filter
- H. 161,5 x W. 59,5 x D. 68 cm.



CVDE 46-2

8

Service - Built under

- Max. capacity*: 46 bottles • Zone 1: 16 bottles / zone 2: 30 bottles
- Two temperature zones
- Temperature ranges: zone 1: 5 to 10°/ zone 2: 12 to 20° 5 semi-sliding beech shelves
- + 1 half shelf
- H. from 82 to 89,1 x W. 59,5 x D. 57,2 cm.

CVDE 21

×

Service - Built under

- Max. capacity*: 21 bottles
- Temperature range: 5 to 20°C
- 4 wire shelves with wooden front (incl. 2 half shelves) • H. 82 x W.29 x D.57 cm.

TRADITION

AGEING WINE CELLARS

Age your wines as effectively as in a traditional cellar. This range offers all the essential technological features: antivibration system, light protection, humidity display, electronic thermostat, uniform temperature with mixed cold air, aeration by active charcoal filter and more.

The wide choice of capacity available—from 77 to 248 bottles means there is a model for you.

THE BENEFITS OF A GOOD AGEING CELLAR

Precise, uniform temperatures

The digital control panel means you can control temperature at the touch of a button. The electronic thermostat allows you to set the temperature to the nearest degree. An alarm is triggered if the temperature varies from the pre-programmed temperature for a sustained period of time (e.g. the door is not shut properly).

Controlled humidity

It is maintained between 50 and 80%. The lava stone kit allows you to adjust the humidity to the best level. Very precise hygrometric sensors indicate the humidity level.

Odour-eliminating aeration system

Air inlets fitted with active charcoal filters refresh the air and neutralise bad odours and prevent mould.

A display indicates the number of days remaining before the filter needs replacing.

Light protection

The glazed doors are anti-UV treated. Rows of LED lamps provide low-energy and harmless light for your bottles.

No vibration

Shock absorbers remove the threat of vibrations.

1

2

3

5

TRADITION wine cellars — Presently, the Tradition range comprises a large choice of single-temperature wine cellars. Their functions have been improved so our ageing cellars are now some of the safest, most ergonomic and most energyefficient on the market. In classes A and A+, they combine efficiency and respect for the environment. Leave your wines to age in complete tranquillity!







Wine cellars supplied with multi-format shelves made from solid beech. Our shelving's ergonomics have been improved to optimise the way you arrange your wines, whatever type of bottle. Optional display shelves and sliding shelves may be added (see p. 48-51).



Key features:

- Temperature range from 5 to 20°C
- Energy performance: class A+ for solid doors class A for glazed doors
- Electronic thermostat and digital temperature and humidity display (LED screen)
- Humidity between 50 and 80% (lava stone kit supplied)
- Anti-vibration system
- Active charcoal filters
- Solid door or anti-UV glazed door
- **LED lighting** (with permanent light option for models with a glazed door)
- Black color
- Multi-format beech shelves

CTVNE 230 A

Ageing

- Max. capacity*: 236 bottles
- Temperature range from 5 to 20°
 5 multi-format beech shelves
- 1 active charcoal filter
- H. 188 x W. 59,5 x D. 71 cm.



CTVNE 186 A

Ageing

- Max. capacity*: 194 bottles
- Temperature range from 5 to 20°
 4 multi-format beech shelves
- 4 multi-format beech sne
 1 active charcoal filter
- H. 158 x W. 59,5 x D. 71 cm.



CTVNE 142 A

- Max. capacity*: 149 bottles
- Temperature range from 5 to 20°
- 3 multi-format beech shelves
 1 active charcoal filter
- H. 128 x W. 59,5 x D. 71 cm



A precise and uniform temperature thanks to the mixed cold system.





Built-in control panel with new functions to provide increased security, comfortable reading and easy usability.

Extra-secure wine cellars:

- Winter function
- Visual and audible alarm for temperature and humidity
- Active charcoal filter alarm: a digital display indicates the number of days remaining before the filter needs replacing.
- Child lock (locks the control panel)
- Lock
- In the event of a power out, the appliance stores **the temperature settings in its memory**

CTPNE 230 A+

Ageing

A+

- Max. capacity*: 236 bottles
- Temperature range from 5 to 20°
 5 multi-format beech shelves
- 1 active charcoal filter
- H. 188 x W. 59,5 x D. 71 cm.



CTPNE 186 A+

Ageing

- Max. capacity*: 194 bottles
- Temperature range from 5 to 20°
- 4 multi-format beech shelves
 1 active charcoal filter
- H. 158 x W. 59,5 x D. 71 cm.



CTPNE 142 A+

- Max. capacity*: 149 bottles
- Temperature range from 5 to 20°
- 3 metal shelves with wooden front, multi-format
- 1 active charcoal filter
- H. 128 x W. 59,5 x D. 71 cm.



Ageing your finest bottles in elegant cellars.





A

CTV 248

Ageing

- Max. capacity*: 248 bottles
- Temperature range from 5 to 20°C
- 6 wire shelves with wooden front
- 1 active charcoal filter
 H.183 x W.59,5 x P.67,5 cm



CTP 252 A

- Max. capacity*: 248 bottles
- Temperature range from 5 to 20°C
- 6 wire shelves with wooden front
- 1 active charcoal filter
 H.183 x W.59,5 x P.67,5 cm











CTP 177 A

Ageing

- Max. capacity* : 165 bottles
- Temperature range from 5 to 20°C
- 5 wire shelves with wooden front
- 1 active charcoal filter
 H.135,5 x W.59,5 x P.67,5 cm







CTV 177 B

Ageing

- Max. capacity* : 165 bottles
- Temperature range from 5 to 20°C
- 5 wire shelves with wooden front
- 1 active charcoal filter
 H.135,5 x W.59,5 x P.67,5 cm



CTV82B

- Max. capacity*: 77 bottles
- Temperature range from 5 to 20°C
- · 2 beech shelves
- 1 active charcoal filter
 H. 85,5 x W. 59,5 x D. 67,5 cm



SERVICE

The excessive consumption of alcohol is dangerous to your health. Always drink in moderation

SERVICE AT TEMPERATURE WINE CELLARS

Wines should not all be served at the same temperature! Between a white wine served nicely chilled and a red wine drunk at room temperature, there is a gap that can easily exceed 10°C.

Our wine cellars are designed to bring your bottles to the ideal tasting temperature. The different models offer a wide selection of sizes and capacities to be integrated into any space.

FEATURES OF THE SERVICE RANGE

A diverse selection

The models in this range are produced in different sizes and capacities to fit into any space. Available in nine sizes and a storage capacity ranging from 16 to 126 bottles, the wine cellars in the Service range can be installed in any room and in any type of property, even the smallest.

Most silent wine cellars

The mechanics of our cellars have been designed to make as little noise as possible. Particularly silent, the LS28 and LS16 models, for example, will be appreciated by anyone wanting to install their wine cellar in a reception room or in a studio.

Carefully styled

Often installed in a living space, your wine cellar needs to meet certain aesthetic criteria. Glazed doors, aluminium or stainless steel handles, touch commands and LED lighting to showcase your bottles: each model is designed as an object of style so it seamlessly fits into your home interior.

A wide temperature range

The Service models cover a wide range of temperatures so you can enjoy all types of wine. Certain models even contain two independent compartments ranging from 4 to 20°C so you can chill or bring to room temperature white wines and red wines respectively at the same time.

High quality shelving

Made of metal wire or beech , the shelves from La Sommelière are robust, odourless and allow the air to circulate correctly to ensure uniform temperatures inside your cellar. 1

2

3

4

5

To put at ideal tasting temperature up to 121 bottles. Mono or double temperature zone, black or silver design, wood shelf or metallic, these models adapt to your needs and your home!





CVD131V

Service

- Max. capacity*: 120 bottles
- Temperature range from 5 to 20°C
 5 beech shelves + 1 half shelf at the bottom of the cellar
- H.148,2 x W.58 x P.65,7 cm.

CVD121V

Service

- Max. capacity*: 120 bottles
- Temperature range from 5 to 20°C
 5 beech shelves + 1 half shelf at the bottom of the cellar
- H.148 x W.58 x P.59 cm.

Double zone with independent temperature management!





nulti-zone 5-12°C 12-18°C



CVD117

Service

- Max. capacity*: 121 bottles
 Temperature range from 5 to 20°C
- 5 wire shelves with wooden front
- H. 127,7 x W. 55 x D. 56,5 cm.

CVD102DZ

Service

- Max. capacity*: 102 bottles Top compartment: 56 bottles
- Bottom compartment: 46 bottles • Double temperature zone
- Temperature ranges Top compartment from 5 to 12°C Bottom compartment from 12 to 18°C
- 5 wire shelves with wooden front
- H. 127,7 x W. 55 x D. 56,5 cm.

La Sommelière has designed service cellars that allow the user to create two independent temperature zones. With the large selection of capacities on offer, you will find the cellar that perfectly meets your requirements.











Each compartment can be set independently and are equipped with sliding shelves.





Key features of double temperature zone wine cellars:

- Mixed cold
- Electronic thermostat and digital display of the temperature in each zone
- Humidity regulated between 50 and 80%
- Anti-vibration system
- Glazed door with anti-UV treatment
- White LED lighting in each zone
- Colour: black and stainless steel
- Lock
- Semi-sliding **adjustables shelves**

ECS 80.2Z	Service
NEW	 Max. capacity*: 75 bottles Top compartment: 33 bottles Bottom compartment: 42 bottles Double temperature zone Temperature range from 5 to 20°C in each zone 7 semi-sliding beech shelves H. 127 x W. 48 x D. 57,5 cm.
ECS 50.2Z	Service
NEW	 Max. capacity*: 49 bottles Top compartment: 28 bottles Bottom compartment: 21 bottles Double temperature zone Temperature range from 5 to 20°C in each zone 4 semi-sliding beech shelves H. 84,5 x W. 48 x D. 57,5 cm.
ECS 30.2Z	Service
NEW	 Max. capacity*: 29 bottles Top compartment: 15 bottles Bottom compartment: 14 bottles Double temperature zone Temperature range from 5 to 20°C in each zone 5 semi-sliding beech shelves H. 86 x L.48 x D. 43 cm.

Key features of new service wine range:

- Eco-friendly products : class A for all one zone models
- Mixed cold
- Electronic thermostat and digital temperature display integrated into the door
- Modern design: black and stainless steel
- One or double temperature zone
- Humidity regulated between 50 and 80%

Α

- Anti-vibration system
- Internal LED lighting
- Beech or metal **shelves**





LS52A

Service

- Max. capacity*: 52 bottles
- Temperature range from 5 to 20°C
- 3 beech shelves + 1 half shelf at the bottom of cellar
- H.83,8 x W.48 x D.56,5 cm.

LS50.2Z

Service

- Max. capacity*: 50 bottles Top compartiment: 26 bottles Low compartiment: 24 bottles
- Double temperature zone Upper compartiment from 5 to 12°C
- Lower compartiment from 12 to 18°C
- 3 beech shelves + 1 half shelf at the bottom of cellar • H.83,8 x W.48 x D.56,5 cm.

















Α

LS36A

Service

- Max. capacity*: 36 bottles
- Temperature range from 5 to 20°C • 3 beech shelves + 1 half shelf at the
- bottom of cellar H.83,8 x W.48 x D.43 cm.

LS34A

Service

- Max. capacity*: 34 bottles
- Temperature range from 5 to 20°C
- 6 beech shelves + 1 half shelf at the bottom of cellar • H.83,8 x W.48 x D.43 cm.

LS24A

- Service
- Max. capacity*: 23 bottles
- Temperature range from 5 to 20°C • 3 beech shelves + 1 half shelf at the
- bottom of cellar H.63 x W.48 x D.43 cm.

0





The LS38A cellar and vacuum pump integrated

The vacuum pump integrated in the tank of your cellar, allows you to keep your wine bottles opened for several days. You can store 3 pottles open in a vertical position.

The integrated air vacuum allows to:

- Reduce the volume of air (thus oxygen O2) present in the bottle after opening
- **2** Delaying the oxidation of wine
- Preserve the freshness, the organoleptic and olfactory qualities of the wine





<u>-``@``</u>



EASY TO USE Insert the stopper in the bottle and press (M)

+ PRODUCT Vertical storage for 3 bottles Ideal solution for your open wine



LS38A

- Service
- Max. capacity*: 38 bottles
- Temperature range from 5 to 20°C
 4 wire shelves with wooden front
- 3 corks for integrated air vacuum
- H. 85,5 x W. 40 x D. 56,5 cm.

COMBINATION wine cellars

Convenient if space is limited and visually appealing, our service wine cellars are perfect for bringing all your drinks to the right temperature.

66::**...**=66

HYBRID TECHNOLOGY GIVING MAXIMUM PERFORMANCE

This innovative system combines the reliability of thermoelectricity and the efficiency of a compressor. Already used in cutting-edge technological sectors, such as cooling systems for satellites and microprocessors, this innovation allows the absolute temperature control and **has the advantage of running much more silently.**

TOUCH-SENSITIVE COMMANDS (WITH CHILD LOCK)

Fitted onto the glazed door, the sensitive commands are both practical—attractive, backlit, touch control—and safe: changing the settings requires a special manipulation that makes any accidental changes, by a child for example, impossible.

- ULTRA-SILENT CELLARS
- Soft touch commands
- Glazed anti-UV door
- Electronic thermostat and digital temperature display
- Interior LED lighting
- Visual alarm signalling a rise in temperature
- Noise reduced: 30dB





LS 28

Service

Net volume: 70 L.

6 metal shelves

• H.74 x W.43 x D.52 cm.

Temperature range from 8 to 18°

LS 16



Service Net volume: 48 L. • Temperature range from 8 to 18° • 4 metal shelves

• H.51 ,5 x W.43 x D.48,5 cm.

M(m) = M(m) =

THERMOELECTRIC cellars

The service cellars allows you to bring yours bottles to an ideal serving temperature. They have a thermoelectric cooling system which offers you many advantages such as the **absence of vibration** or the **low noise level**. The touch control panel integrated in the door prevents a loss of cold. These small cellar models are installed **in free standing**, they easily find their place in your home.



LSC28

Service

- Max. capacity:
- 28 bottles* or 125 cans**
- Temperature range from 11 to 18°C6 metal shelves
- H. 73,5 x W. 45 x D. 52,8 cm.



LSC18

Service

- Max. capacity:
- 18 bottles* or 64 cans**
- Temperature range from 11 to 18°C
- 5 metal shelves
- H. 66 x W. 34,5 x D. 49 cm.



Key features of the thermoelectric cellars:

- Touch control panel integrated to the door
- Small volume
- Ventilated cold
- LED interior lighting



LS28KB

Service

- Max. capacity:
- 28 bottles* ou 125 cans** • Temperature range from 11 to 18°C
- 6 wooden shelves
 H. 78,6 x W. 42 x D. 49,5 cm.



LS18KB


Service

- Max. capacity:
- 18 bottles* ou 64 cans** Temperature range from 11 to 18°C
- 5 wooden shelves
 H. 63,6 x W. 34,5 x D. 51,4 cm.

* Maximum capacity for lightweight Bordeaux bottles stored head to tail with one shelf minimum. - Item may differ from those pictured. ** Maximum capacity with 33 cl cans without shelves.



OTHER CELLARS



Chocolate cellar (CAC01)

Put your chocolates under maximum

protection!

Chocolate, just like wine, need to be stored at a temperature of around 17°C and humidity below 70% in order to retain all its flavours. La Sommelière chocolate cellars provide ideal

conditions: a stable temperature set to the nearest degree, humidity below 70%, an anti-UV treated window, and perfect air circulation, all in an attractive and space-saving cabinet.

- Temperature range from 8 to 18°C (recommended temp. of 17°C)
- 2 wooden drawers
- Interior LED lighting
- Digital temperature display
- Touch controls
- Capacity: 25L
- H.28.5 x W.42 x D.48 cm.

Cheese cellar (CAF51N)

A cellar fit for a fine cheese maker!

La Sommelière has conceived a machine fit for professionals to age, preserve and serve your favourite cheeses.

As well as maintaining humidity at constant levels between 50 and 80%, this cellar has all the features needed to transform you into a proficient cheese maker

And thanks to the three removable cheese boards, your cheese can go from cellar to table in seconds!

 Net volume[,] 1681 • Temperature ranges:

Interior LED lighting

Lower compartment: 12-20°C

- Digital temperature display Visual and audible Upper compartment: 5-12°C
 - temperature alarm
 - Winter Function • Glazed anti-UV door
 - H. 84.8 x W. 59.5 x D. 67.5 cm.



Cigar cellar (CIG 251)

Store up to 200 cigars!

Just as specific conditions can enhance a wine, cigars need to be stored at a temperature of between 16 and 20°C and a humidity level of between 50 and 75% to ensure their qualities and flavours remain intact. The cigar cellar from La Sommelière offers the optimum conditions for promising an unforgettable tasting experience.

- Max. capacity: 200 cigars
- Temperature range from 10 to 22°C
- Humidity regulated between 50 and 75%
- Digital temperature and hygrometry display
- 3 wooden shelves (including 2 display shelves)
- Interior LED lighting
- Lock
- H.50,5 x W.39,5 x D.50 cm.









WINE SERVICE PRODUCTS

Fine wine by the glass (DVV2)

This wine by the glass service allows you to simultaneously put at ideal temperature, preserve from air oxidation and serve by the glass your most precious bottles. Your wines can be served up to 3 weeks after opening.

- Can store two bottles at your chosen temperature, adjustable between 4 and 18°C (digital display thermometer).
- No need to remove the bottles: wine can be poured from the two taps provided.
- The interior LED lighting does not emit any heat that might harm the wine.

Storage under nitrogen protects your bottles of wine already open by avoiding air contact (oxygen).

This odorless gas keeps all the aromas of your bottles of wine for several days.

The nitrogen cartridge is very easy to replace. More information in the Accessories section (p. 51) or in the online store at: https://www.lasommeliere.com/gb/



Dim : H.52,5 x W.23,5 x D.35 cm Gencod : 3 541 361 712 074

Bottles cooler (CV7T)

This bottles cooler is the ideal solution to serve at temperature your bottles (wines or Champagne). With its front window, interior lighting and its black design, your bottles will be highlighted. Use it for fast service, ideal on a bar or at events for self service. For even faster service and nitrogen preservation of your fine wines, use it with one or more CVIT.

CV7T :

Max. capacity : 6 bottles Temperature range : from 5°C to 18°C Internal LED lighting Dim. (mm) : H.33 x W.81 x D.19 cm Gencod : 3 541 361 805 301



Wine by the glass (CV1T)

This new process makes it possible to store an open bottle even longer (up to three weeks). Replacing the cork, the system is very easy to fit. The CVIT comes with six nitrogen cartridges so you can keep up to 12 bottles. Gencod : 3 541 361 103 186





CV6T stand sold separately

Our accessories are a collection of additional items designed to create your ideal wine cellar. Replace your active charcoal filters, add a thermometer, find a shelf to hold a specific wine, everything is possible with the accessories from La Sommelière.

They are designed and manufactured to adapt seamlessly to your wine cellar and bring you more from it.

SHELVES FOR PRESTIGE RANGE

CLAVIP 01

Fixed shelf in solid oak for wine cellar models VIP 195N, VIP 195G, VIP 180 and VIP 150. W. 525 x D. 440 mm

CLAVIP 02

Display shelf in solid oak for wine cellar models VIP 195N, VIP 195G, VIP 180 and VIP 150. W. 520 x D. 240 mm



ACCESSORIES FOR VIP 330 AND VIP 280



SBV52

Metal perforated tray used to store your bottles standing without preventing the circulation of air. Place on a sliding shelf for easier access. Dim: W. 430 x D. 460 mm



CASIER6

This rack is the safest way to store open bottles. Preferably installed on a sliding shelf with a metal tray. Dim: W. 375 x D. 255 x H. 177 mm



CLAVIP 03

Sliding shelf in solid oak for wine cellar models VIP 195N, VIP 195G, VIP 180 and VIP 150. W. 525 x D. 440 mm



CLAVIP 04

Fixed shelf in beech for wine cellar models VIP 315V, VIP 315P, VIP 265V and VIP 265P. W. 590 x D. 560 mm



RAILV3

Set of two rails that transform a CLAVIP07 fixed shelf into a sliding shelf.



CLAVIP 07

Fixed shelf in oak, for wine cellar model VIP 280V, VIP 330P and VIP 330V. W. 591 x D. 547 mm



CLAVIP 08

Display shelf in beech, for wine cellar models VIP 280V, VIP 330P and VIP 330V. W. 591 x D. 403 x H. 178 mm



CLAPRE 05

Display shelf in beech, with stainless steel front for wine cellar model MZ2V135, MZ2V165 and MZ3V180. W. 495 x D. 535 x H. 110 mm



MODUL16

Drawer for fine wines. Dim: W. 590 x D. 540 x H. 150 mm Compatible label : RET3



MODUL20

Drawer for fine wines in magnum bottles. Dim: W. 590 x D. 540 x H. 190 mm Compatible label : RET3



MODUL27

Drawer for champagne and fine wines to be used in the bottom of your wine cellar. Dim: W. 590 x D. 385 x H. 260 mm Compatible label : RET3

SHELVES FOR TRADITION RANGE



CLAPRE 04

Display shelf in beech compatible with all CTVNE and CTPNE wine cellars. W. 495 x D. 330 mm



CLATRAD 08

Fixed shelf in beech compatible with all CTVNE and CTPNE wine cellars. W. 500 x D. 550 mm



CLATRAD 09

Fixed metal shelf with wooden front compatible with all CTVNE and CTPNE wine cellar models. W. 500 x D. 550 mm



CLATRAD 10

Sliding shelf in beech compatible with all CTVNE and CTPNE wine cellar models. W. 500 x D. 550 mm



CLATRAD 13

Fixed metal shelf with wooden front compatible with CTV252, CTP252A, CTV177B and CTP177A cellars. W.490 x D.540 mm

Buy your accessories at en.lasommeliere.com



OTHER ACCESSORIES



FCA 01

Active charcoal filter* compatible with wine cellar models in the Prestige range: VIP 315V, VIP 315P, VIP 265 V, VIP 265P, VIP 195N, VIP 195G, VIP 180 and VIP 150.

* Replace filters once a year to ensure effective filtration.



FCA 04

Active charcoal filter^{*} compatible with wine cellar models in the Tradition range: CTVNE et CTPNE.



FCA 05

Active charcoal filter* compatible with wine cellar models in the Prestige range: MZ2V135, MZ2V165, MZ3V180.



FCA 07

Active charcoal filter* compatible with wine cellars CAF51N, PF110, PF160 and PF160DZ.



CA 02

Nitrogen cartridges, refills compatible with CV1T, wine-by-theglass distributor. Pack of 10.



CA 06

Nitrogen cartridge, refill compatible with DVV22 dispenser.



FILTRE1

Active charcoal filter* compatible with wine cellars VIP 330P, VIP 330V and VIP 280V



RET 3 (PACK OF 10)

Labels to use in the label holders attached to your wine cellar drawers. Use the labels to record important information about your wines. Compatible with MODUL16, MODUL20 and MODUL27 drawers.



Visit en.lasommeliere.com to find the accessory compatible with your wine cellar.



Lava stones. Moisten then place these stones in the bottom of your wine cellar to regulate humidity. Supplied in a 190g bag.



BPDL

Box for lava stones. The perforated lid is designed to provide an efficient system for releasing humidity in your wine cellar. Dim: W. 190 x P. 140 x H.60 mm

AGEING AND SERVING WINE:

During the ageing phase, an overly chilled wine cellar will prevent wines from developing while an overly warm environment will speed up the process. When serving, an overly chilled wine will not be able to express its flavours fully. Served too warm, it will taste heavy and the vinosity will affect the character.

To understand the requirements of different vineyards, here are a few indications about the ideal temperatures for ageing and serving wines from various regions.

Generally, a wine producer's cellar is maintained at a temperature of between 10 and 12°C.

Red and white Burgundy wines

They age wonderfully between 10 and 12°C. To serve, a red wine will reveal all its flavours at around 16°C.

A white wine from Burgundy is best enjoyed at around 12°C. Served too chilled, its complex character will not be able to express itself.

White Alsace wines

They age around 11 to 12°C. Generally served chilled, at around 10°C, they can also be enjoyed at closer to room temperature (around 15°C).

Red Alsace wines (Pinot Noir)

Stored at the same temperature as the whites and served at around 15°C.

Red and white Bordeaux wines

The perfect temperature for ageing these wines is 14°C. While red wines are served at room temperature, between 16 and 18°C, whites can be served more chilled, at around 8°C.

Wines from the Languedoc-Roussillon region

Whites age at between 12 and 13°C, reds at up to 15°C. When serving, reds express their character at between 17 and 18°C. Dry whites and rosés can be served chilled, at between 8 and 10°C. Dry whites can also be served at closer to room temperature, at around 15°C.

Red and white wines from Côtes-de-Provence and Corsica

They age harmoniously at between 12 and 14°C. Depending on the level of complexity, white wines from the region can be served at between 9 and 14°C.

A rosé is best enjoyed at between 8 and 11°C. Reds are served at closer to room temperature, at between 15 and 18°C.

Loire wines

They are stored at between 10 and 12°C. Red wines are enjoyed at around 12°C while dry whites and rosés are served chilled, at between 8 and 10°C.

Champagne

Served at between 8 and 10°C. Like with white wines, the more complex a champagne's bouquet, the higher the serving temperature (around 12°C).

Champagne is generally sold "ready to drink". Only a few fine vintages are suitable for ageing over several years.

Sweet wines

Served very chilled at around 5°C.

Wines from Italy, Spain and Portugal

Wines often rich in flavours and character and whose ageing and serving temperatures vary from one vineyard to another. Generally, they age harmoniously at between 10 and 12°C. Red wines are best served at between 13 and 17°C, whites at between 11 and 13°C.

Wines from around the world

Ageing and serving conditions of wines from around the world differ between countries and even between vineyards. To offer the best conditions for ageing and enjoying the flavours at their best, we recommend asking your wine merchant for advice.

The temperatures given are suggestions only: the ideal serving temperature is your preferred one!

The most important information to remember is never to subject your wine to sudden fluctuations in temperature that will alter the flavours irrevocably. Never place a bottle in the freezer to chill it!

However, a rise in temperature over several days or seasons will not damage a wine:

a wine cellar that goes from 8°C in winter to 15°C in summer is perfectly acceptable.

	Technical specifications				PRE	STI	GE F	RAN	GE				
		VIP330V	VIP 330P	VIP280V	VIP195	VIP180	VIP150	PF160.2Z	PF160	PF110	MZ3V180	MZ2V165	MZ2V135
Capacity	Maximum capacity*	329	329	273	195	195	160	152	152	107	166	165	135
	Colour(s)	Grey	Grey and burgundy	Grey	Black or grey	Grey	Grey	Black	Black	Black	Black	Black	Black
Design	Door(s)	Anti-UV glass	Solid	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass
	Door frame	-	-	-	_	Alu	Alu	Lacquered black	Lacquered black	Lacquered black	Stainless steel	Stainless steel	Stainless steel
	Type of cold	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed
	Multi-zone	-	-	-	-	-	-	•	-	-	•	•	•
	Multi-temperatures	•	-	•	•	•	•	-	-	-	-	-	-
Temperature	Thermostat	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
and humidity	temperature display	•	•	•	•	•	•	•	•	•	•	•	•
	Temperature range (°C)	7 - 19	5 - 20	7 - 19	5 - 22	5 - 22	5 - 22	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20
	Humidity display	-	-	-	•	-	-	-	-	-	-	-	_
	Humidity regulated between 50 and 80%	•	•	•	•	•	•	•	•	•	•	•	•
	Fixed shelves	5	5	4	5	6	4	_	-	-	1/2	1/2	1/2
	Semi-sliding shelves	-	-	-	-	-	-	-	-	-	-	-	-
Shelves	Sliding shelves	-	-	-	1	-	-	15	15	10	8	7	9
	Display shelves	-	-	-	-	-	-	-	-	-	-	-	-
	Shelf material	Beech	Beech	Beech	0ak	0ak	0ak	Metal	Metal	Metal	Beech wooden front	Beech wooden front	Beech
	Interior lighting	•	•	•	•	•	•	•	•	•	•	•	•
	Digital thermometers	-	-	-	4	4	3	-	-	-	-	-	-
	Active charcoal filters	1	1	1	1	1	1	1	1	1	1	1	1
	Anti-vibration system	•	•	•	•	•	•	•	•	•	•	•	•
Cellar features	Under-counter / built-in	-	-	-	-	-	-	-	-	-	•	•	•
Cellar leatures	Reversible door	-	_	-	•	•	•	_	_	_	•	-	•
	Rear castors	•	•	•	•	•	•	-	-	-	_		_
	Adjustable feet	•	•	•	•	•	•	•	•	•	•	•	•
	Skirting board recess	-	-	-	-	-	-	-	-	-	•	•	•
	Power light indicator	-	-	-	•	•	•	•	•	•	•	•	•
	Alarm	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual	Visual	_
	Compressor security	•	•	•	•	•	•	-	_	-	-	-	•
Security	Child lock	-	-	-	-	-	-	-	-	-	-	-	-
	Winter system	-	-	-	-	-	-	•	•	•	•	•	•
	Lock	•	•	•	•	•	•	•	•	•	•	•	•
	"Big chill" security	•	•	•	•	•	•	-	-	-	-	-	-
	Height (mm)	1960	1960	1650	1850	1850	1550	1830	1830	1360	1795	1795	1615
Dimensions	Width (mm)	710	710	710	595	595	595	595	595	595	595	595	595
and weight	Depth (mm)	700	700	700	595	595	595	675	675	675	680	680	680
	Net/gross weight (kg)	116/120	106/110	95/102	87/88	87/88	75/76	76/82	76/82	65/70	96/102	98/108	86/95
	Energy consumption (kwh/year)	203	137	189	218	218	209	338	291	216	251	213	208
Technical	Energy class	A	A+	A	В	В	В	D	C	В	В	В	В
informations	Type of gas	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a
	Climate class	SN-N	SN-N	SN-N	SN-T	SN-T	SN-T	N	N	N	ST - T	ST - T	ST - T
	Sound level (dba)	42	42	42	42 07 /m	42	40	45	42	41	45	45	45
References	Gencod	3541361811203	3541361811210	3541361811227	Black 5703540145112 Grey 5703540146027	5703540142135	5703189263956	3541361802232	3541361802225	3541361802249	3541361809125	3541361809149	3541361809132

	TRADITION RANGE												SERVICE										
CVDE46-2	CVDE21	CTVNE230A	CTPNE230A+	CTVNE186A	CTPNE186A+	CTVNE142A	CTPNE142A+	CTV252	CTP252A	CTV177B	CTP177A	CTV82B	CVD131V	CVD121V	CVD117	CVD102DZ	ECS80.2Z	ECS50.2Z	ECS30.2Z	LS52A	LS50.2Z	LS36A	
46	21	236	236	194	194	149	149	248	248	165	165	77	120	120	121	102	75	49	29	52	50	36	
Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Blac	
Anti-UV glass	Anti-UV glass	Anti-UV glass	Solid	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti- glas									
Stainless Steel	Stainless Steel	Black	Black	Black	Black	Black	Black	-	-	-	_	Black	Alu	Alu	Black	Black	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainl Stee	
Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixe	
•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	_	•	•	•	•	-	•	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electro	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 20	5 - 18	5 - 20	5 - 20	5 - 20	5 - 20	5 - 18	5 - 2	
-	-	•	•	•	•	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
1/2	4	5	5	4	4	3	3	6	6	5	5	2	5+½	5 + ½	5	5	-	-	-	3 + 1/2	3 + ½	3+	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	5	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Metal	-	-	-	-	-	-	-	
Beech	Metal	Beech	Beech	Beech	Beech	Beech	Metal	Metal	Metal	Metal	Metal	Beech	Beech	Metal	wooden front	Metal	Beech	Beech	Beech	Beech	Beech	Beer	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	1	1	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
• E	• E	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
•	•	_	_	_	_	_	_	_	_		_	_	-	_	•	•	_	_	-	_	_	-	
-	-	•	•	•	•	•	•	_	_	_	_	_	•	•	•	•	•	•	•	•	-	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
•	•	_	_	-	_	_	_	-	_	_	_	-	-	-	-	-	_	-	-	-	-	_	
•	•	•	•	•	•	•	•	_	_	_	_	•	•	•	_	_	•	•	•	_	_	_	
_	_	Visual and	Visual and	Visual and	_	_	_	_	Visual and	Visual and	Visual and	-	-	_									
•	•	audible	audible	audible	-	_	_	_	audible	audible	audible	_	_	_									
_	-	•	•	•	•	•	•	-	-	_	_	_	-	_	-	-	-	-	-	•	•	•	
_	-	•	•	•	•	•	•	•	•	•	•	•	-	-	-	-	•	•	•	-	-	_	
-	-	•	•	•	•	•	•	-	•	-	•	-	-	-	-	-	•	•	•	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
828	820	1880	1880	1580	1580	1280	1280	1830	1830	1355	1355	855	1482	1480	1277	1277	1270	845	860	838	838	838	
595	290	595	595	595	595	595	595	595	595	595	595	595	580	580	550	550	480	480	480	480	480	480	
572	570	710	710	710	710	710	710	675	675	675	675	675	657	590	565	565	575	575	430	565	565	430	
49,5/51	28/31	80/90	65/75	71/80	59/68	62/70	53/61	76/82	76/82	65/70	65/70	47/50	55/62	55/62	49/52	53/57	47/51	34/37	29/32	29/31	30/32	26/2	
198	140	175	137	168	130	160	125	291	166	216	158	200	271	271	210	253	204	144	140	145	181	141	
В	A	A	A+	A	A+	A	A+	C	A	В	A	В	C	С	В	C	В	A	A	A	В	A	
R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600	
N	N	SN-ST	SN-T	SN-ST	SN-T	SN-ST	SN-T	N	N	N	N	N	N-ST	N-ST	SN - T	N	SN - T	SN - ST	SN - ST	T	ST	ST	
45	43	40	40	40	40	40	40	42	42	41	41	42	40	40	40	40	42	41	41	42	42	38	
3541361003240	3541361511264	3541361710209	3541361710193	3541361710186	3541361710179	3541361710162	3541361710155	3541361601262	3541361710056	3541361710063	3541361710070	3541361809163	3541361201141	3541361201134	3541361805073	3541361601057	3541361812040	3541361812033	"3541361812026	3541361607066	3541361607127	3541361607073	
\$240	64	209	561	186	179	162	55	262	056	063	070	163	141	134	073	057	040	233	2026	.066	.127	0/3	

F	RAN	GE								O CE	R RS	
	LS34A	LS24A	LS38A	LS28	LS16	LS28KB	LS18KB	LSC28	LSC18	CAF51N	CAC01	CIG251
	34	23	38	70L	45L	28	18	28	18	168L	25L	42L
k	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
IV	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass	Anti-UV glass
, 255 	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Alu	Alu	Alu	Alu	Black	Black	Stainless Steel
d	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed	Mixed
	-	-	-	-	-	-	-	-	-	•	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
nic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
	•	•	•	•	•	•	•	•	•	•	•	•
D	5 - 20	5 - 20	5 - 20	8 - 18	8 - 18	11 - 18	11 - 18	11 - 18	11 - 18	5 - 20	8 - 18	10 - 22
	-	-	-	-	-	-	-	-	-	٠	-	•
	•	•	•	-	-	-	-	-	-	•	•	•
2	6+½	3+1/2	4	6	4	6	5	6	5	-	-	1
	_	_	_	_	_	_	_	_	-	-	2	-
	-	-	-	-	-	-	-	-	-	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	2
h	Metal	Metal	Metal	Metal	Metal	Beech	Beech	Metal	Metal	Removable oak trays	Wooden drawers	Wooden drawers
	٠	•	•	•	•	•	•	•	•	•	•	•
	-	-	-	-	-	-	-	_	-	-	-	-
	-	-	-	-	-	_	-	_	_	2	_	-
	٠	•	•	•	•	_	-	_	-	•	-	•
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	•	•	-	-	-	-	-	-	-	-	-	-
	٠	•	•	•	•	•	•	•	٠	•	•	•
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	•	•	-	-	-	-	-	-	•
	-	-	Visual and audible	Visual	Visual	-	-	-	-	Visual and audible	-	-
	-	-	-	-	-	-	-	_	-	-	-	-
	•	•	-	•	•	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	•	-	-
	-	-	-	-	-	-	-	-	-	-	-	•
	-	-	-	-	-	-	-	-	-	-	-	-
	838	630	855	740	515	786	636	735	660	848	285	505
	480	480	400	430	430	420	345	450	345	595	420	395
0	430	430	565	520	485	495	514	528	490	675	480	500
8	27/29	22/24	30/32	25/28	14/16	18/20	14/16	20/23	16/18	44/46	8/10	23/25
	141	135	140	203	161 D	175 D	187	164 P	176	196 P	160 D	102
	A	A	A	(D6002	B	B	B	B	B	B	B	A
a	R600a	R600a	R600a	R600a	R600a	None	None	None	None	R600a	None	R600a
	ST	ST	N 41	N 70	N 70	N 70	N	N 75	SN - N 70	N 44	N	5T 70
	38	44	41	30 53	30 53	39 53	42 53	35 53	38	44	41	39 53
	3541361607080	3541361607097	3541361605208	3541361006234	3541361102141	3541361805066	3541361404108	3541361811265	3541361811272	3541361509025	3541361302220	3541361709067

Find out more about our products and services on our website lasommeliere.com



Choose your model

Very comprehensive product information pages and a comparison table to help you choose

Share advice The blog compiles articles,

advice and opinions about wine

Kit out your wine cellar

Visit our online store to add more to your cellar in a click, from thermometers to shelving and filters

Get the most from your purchase Download the warranty extension form and the information and recommendations for your appliance

Personalise your bottles Easily create your own individual labels



EXCELLENT AFTER SALES CARE FOR TOTAL PEACE OF MIND

At the juncture of the two key advantages of an extended range and major technological innovations, La Sommelière adds the excellence of its After Sales Service. An important benefit so you can enjoy your wine cellar, carefree.

Boasting a network of over 250 providers and partners, Interfroid Services has a team of technicians experienced in the cold chain and offers a repair service across France.

• Spare parts and accessories are stored in France which means you can be sure of receiving the component you want to change or add quickly.

• Our many points of sale and the growth of our technical network ensures you are covered wherever your location.

• Our technicians are fully trained and knowledgeable about cooling technologies so you can be sure of getting clear answers to your questions, quickly.



CONTACT

FRIO ENTREPRISE - LA SOMMELIÈRE 143 boulevard Pierre Lefaucheux 72230 Arnage - France

Tel.: +33 2 43 21 69 80 / Fax : +33 2 43 21 69 92 contact@lasommeliere.com

Agnisuite merchant@agnisuite.com +91 11 41550060, 41550443 +91 9873000055